





BEST AVAILABLE COPYKevin Gordon Peacocke et al
REPLACEMENT Sheet 1 of 6
Battison - 80141-4102 ADB**FIG. 1**

Kevin Gordon Peacocke et al
REPLACEMENT Sheet 3 of 6
Battison - 80141-4102 ADB



Kevin Gordon Peacocke et al
REPLACEMENT Sheet 4 of 6
Battison - 80141-4102 ADB



Kevin Gordon Peacocke et al
REPLACEMENT Sheet 5 of 6
Battison - 80141-4102 ADB




FIG. 6




FIG. 7

Kevin Gordon Peacocke et al
REPLACEMENT Sheet 6 of 6
Battison - 80141-4102 ADB






FIG. 8


Kevin Gordon Peacocke et al
Originally filed Sheet 1 of 6
Battison - 80141-4102 ADB




Kevin Gordon Peacocke et al
Originally filed Sheet 2 of 6
Battison - 80141-4102 ADB




Kevin Gordon Peacocke et al
Originally filed Sheet 3 of 6
Battison - 80141-4102 ADB






2) Multipoint profile

Kevin Gordon Peacock et al
Originally filed Sheet 4 of 6
Battison - 80141-4102 ADB




4) Triple passage fluidization profile



3) Triangular profile

Kevin Gordon Peacock et al
Originally filed Sheet 5 of 6
Battison - 80141-4102 ADB



5) Dome profile with alternate engagement location

Kevin Gordon Peacock et al
Originally filed Sheet 6 of 6
Battison - 80141-4102 ADB

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.